

Returned 06-09-94

UNIFORM HAZARDOUS
WASTE MANIFEST

1. Generator's US EPA ID No.

Manifest Document No.

2. Page 1

Information in the shaded areas
is not required by Federal law.

CAD086510005 85761

of 1

3. Generator's Name and Mailing Address

Douglas Aircraft Company Attn: Rob Tuell M/S C6-59
19503 South Normandie Avenue, Torrance, CA 90502

4. Generator's Phone (310) 533-7926 or (310) 533-7231

5. Transporter 1 Company Name

Laidlaw Environmental Services of CA, Inc.

6. US EPA ID Number

CAD0000083121

7. Transporter 2 Company Name

8. US EPA ID Number

9. Designated Facility Name and Site Address

QUEMETCO INC.
720 South 7th Avenue
City of Industry, CA 91746

10. US EPA ID Number

CAD066233966

A. State Manifest Document Number

93385761

B. State Generator's ID

HIAHQ36005698

C. State Transporter's ID

406573

D. Transporter's Phone

(310) 518-4700

E. State Transporter's ID

F. Transporter's Phone

G. State Facility's ID

CAD066233966

H. Facility's Phone

(818) 330-2294

11. US DOT-Description (including Proper Shipping Name, Hazard Class, and ID Number)

12. Containers

No.

Type

13. Total
Quantity

14. Unit
Wt/Vol

I. Waste Number

a. RQ, Hazardous waste, solid, n.o.s.; 9; NA3077; PG III
(D008)

001

DM

00630

P

State 181

EPA/Other D008

b.

State

EPA/Other

c.

State

EPA/Other

d.

State

EPA/Other

J. Additional Descriptions for Materials Listed Above

11a.) Lead dross and slag.

K. Handling Codes for Wastes Listed Above

a.

01

b.

c.

d.

15. Special Handling Instructions and Additional Information

24 Hour emergency telephone number (800) 424-9300 (Chemtrec). DOT ERG# 11a)31

16. **GENERATOR'S CERTIFICATION:** I hereby declare that the contents of the consignment are fully and accurately described above by proper shipping name and are classified, packed, marked, and labeled, and are in all respects in proper condition for transport by highway according to applicable federal, state and international laws.

If I am a large quantity generator, I certify that I have a program in place to reduce the volume and toxicity of waste generated to the degree I have determined to be economically practicable and that I have selected the practicable method of treatment, storage, or disposal currently available to me which minimizes the present and future threat to human health and the environment; OR, if I am a small quantity generator, I have made a good faith effort to minimize my waste generation and select the best waste management method that is available to me and that I can afford.

Printed/Typed Name

Robert G. Tuell, Jr.

Signature

Robert G. Tuell, Jr.

Month Day Year

05 31 94

17. Transporter 1 Acknowledgement of Receipt of Materials

Printed/Typed Name

JACK JOHNSON

Signature

Jack Johnson

Month Day Year

05 31 94

18. Transporter 2 Acknowledgement of Receipt of Materials

Printed/Typed Name

Signature

Month Day Year

19. Discrepancy Indication Space

20. Facility Owner or Operator Certification of receipt of hazardous materials covered by this manifest except as noted in Item 19.

Printed/Typed Name

Vicki Jo Hall

Signature

Vicki Jo Hall

Month Day Year

06 06 94

DO NOT WRITE BELOW THIS LINE.

Yellow: TSDF SENDS THIS COPY TO GENERATOR WITHIN 30 DAYS.
(Generators who submit hazardous waste for transport out-of-state,
produce completed copy of this copy and send to DTSC within 30 days.)

93385761
GENERATOR
IN CASE OF EMERGENCY OR SPILL, CALL THE NATIONAL RESPONSE CENTER 1-800-424-8802. WITHIN CALIFORNIA, CALL 1-800-852-7556

IN CASE OF EMERGENCY OR SPILL, CALL THE NATIONAL RESPONSE CENTER 1-800-424-8802. WITHIN CALIFORNIA, CALL 1-800-852-7556

GENERATOR

TRANSPORTER
FACILITY

93385761
IN CASE OF EMERGENCY OR SPILL, CALL THE NATIONAL RESPONSE CENTER 1-800-424-8802: WITHIN CALIFORNIA, CALL 1-800-852-0001

UNIFORM HAZARDOUS WASTE MANIFEST		1. Generator's US EPA ID No.	Manifest Document No.	2. Page 1 of 1	Information in the shaded areas is not required by Federal law.
3. Generator's Name and Mailing Address Douglas Aircraft Company 19503 South Normandie Avenue, Torrance, CA 90502		C AD 08 65 11 00 05		A. State Manifest Document Number 93385761	
4. Generator's Phone (310) 533-7926 or (310) 533-7231		Attn: Rob Tuell M/S C6-59		B. State Generator's ID HAHO 36 00 58 98	
5. Transporter 1 Company Name Laidlaw Environmental Services of CA, Inc.		6. US EPA ID Number CAD 00 00 83 12 1		C. State Transporter's ID 406573	
7. Transporter 2 Company Name		8. US EPA ID Number		D. Transporter's Phone (310) 518-4700	
9. Designated Facility Name and Site Address QUEMETCO INC. 720 South 7th Avenue City of Industry, CA 91746		10. US EPA ID Number CA D 06 62 33 96 6		E. State Transporter's ID	
				F. Transporter's Phone	
				G. State Facility's ID	
				H. Facility's Phone (818) 330-2294	
11. US DOT Description (including Proper Shipping Name, Hazard Class, and ID Number)		12. Containers No.	Type	13. Total Quantity	14. Unit Wt/Vol
a. RQ, Hazardous waste, solid, n.o.s.; 9; NA3077; PG III (D008)		001	DM	00630	P
b.					
c.					
d.					
J. Additional Descriptions for Materials Listed Above (11a.) Lead dross and slag.		K. Handling Codes for Wastes Listed Above			
		a.		b.	
		c.		d.	
15. Special Handling Instructions and Additional Information 24 Hour emergency telephone number (800) 424- 9300 (Chemtrec) DOT ERG# 11a)31					
16. GENERATOR'S CERTIFICATION: I hereby declare that the contents of the consignment are fully and accurately described above by proper shipping name and are classified, packed, marked, and labeled, and are in all respects in proper condition for transport by highway according to applicable federal, state and international laws. If I am a large quantity generator, I certify that I have a program in place to reduce the volume and toxicity of waste generated to the degree I have determined to be economically practicable and that I have selected the practicable method of treatment, storage, or disposal currently available to me which minimizes the present and future threat to human health and the environment; OR, if I am a small quantity generator, I have made a good faith effort to minimize my waste generation and select the best waste management method that is available to me and that I can afford.					
Printed/Typed Name Robert G. Tuell Jr.		Signature <i>Robert G. Tuell, Jr.</i>		Month Day Year 05 31 94	
17. Transporter 1 Acknowledgement of Receipt of Materials Printed/Typed Name JACK JOHNSON		Signature <i>Jack Johnson</i>		Month Day Year 05 31 94	
18. Transporter 2 Acknowledgement of Receipt of Materials Printed/Typed Name		Signature		Month Day Year	
19. Discrepancy Indication Space					
20. Facility Owner or Operator Certification of receipt of hazardous materials covered by this manifest except as noted in Item 19.					
Printed/Typed Name		Signature		Month Day Year	

DO NOT WRITE BELOW THIS LINE.

LAND DISPOSAL NOTIFICATION AND CERTIFICATION FORM

Generator Name: DOUGLAS AIRCRAFT COMPANY

Manifest Doc. No.: 8517611

LEAD DROSS AND SLAG

State Manifest No.: 93385761

- Is this waste a non-wastewater or a wastewater? (See 40 CFR 268.2) Check ONE: ☒ Non-Wastewater ☐ Wastewater
- If this waste is subject to any California List restrictions enter the letter from below (either A or B2) next to each restriction that is applicable: HOCs, PCBs, Acid, Metals, Cyanides.
- Identify ALL USEPA hazardous waste codes that apply to this waste shipment, as defined by 40 CFR 261. For each waste code, identify the corresponding subcategory, or check NONE if the waste code has no subcategory. Also check which treatment standards apply. Spent solvent and California List treatment standards are listed on the back of this form. If F039, multi-source leachate applies, those standards must be attached by the generator.

REF	4. US EPA HAZARDOUS WASTE CODE(S)	5. SUBCATEGORY ENTER THE SUBCATEGORY DESCRIPTION - IF NOT APPLICABLE, SIMPLY CHECK NONE		6. APPLICABLE TREATMENT STANDARDS			7. HOW MUST THE WASTE BE MANAGED ENTER THE LETTER FROM BELOW
		DESCRIPTION	NONE	6.a - PERFORMANCE-BASED: CHECK AS APPLICABLE	6.b - SPECIFIED TECHNOLOGY: IF APPLICABLE ENTER THE 40 CFR 268.42- TABLE 1 TREATMENT CODE(S)		
1	0008		✓	268.41(a)	268.43(a)	268.42	FOR RECYCLE
2							
3							
4							
5							
6							
7							
8							
9							
10							

To list additional USEPA waste code(s) and subcategory(s), use the supplemental sheet provided (2001-B) and check here: ☐

HOW MUST THE WASTE BE MANAGED? In column 7 above, enter the letter (A, B1, B2, B3, C, or D) below that describes how the waste must be managed to comply with the land disposal regulations (40 CFR 268.7). Please understand that if you enter the letter B1, B2, B3, or D, you are making the appropriate certification as provided below.

A. RESTRICTED WASTE REQUIRES TREATMENT

This waste must be treated to the applicable treatment standards set forth in 40 CFR Part 268 Subpart D, 268.32, or RCRA Section 3004(d).

B.1 RESTRICTED WASTE TREATED TO PERFORMANCE STANDARDS

"I certify under penalty of law that I have personally examined and am familiar with the treatment technology and operation of the treatment process used to support this certification and that, based on my inquiry of those individuals immediately responsible for obtaining this information, I believe that the treatment process has been operated and maintained properly so as to comply with the performance levels specified in 40 CFR part 268 Subpart D and all applicable prohibitions set forth in 40 CFR 268.32 or RCRA Section 3004(d) without impermissible dilution of the prohibited waste. I am aware that there are significant penalties for submitting a false certification, including the possibility of a fine and imprisonment."

B.2 RESTRICTED WASTES FOR WHICH THE TREATMENT STANDARD IS EXPRESSED AS A SPECIFIED TECHNOLOGY (AND THE WASTE HAS BEEN TREATED BY THAT TECHNOLOGY)

"I certify under penalty of law that the waste has been treated in accordance with the requirements of 40 CFR 268.42. I am aware that there are significant penalties for submitting a false certification, including the possibility of fine and imprisonment."

B.3 GOOD FAITH ANALYTICAL CERTIFICATION - FOR INCINERATED ORGANICS

"I certify under penalty of law that I have personally examined and am familiar with the treatment technology and operation of the treatment process used to support this certification and that, based on my inquiry of those individuals immediately responsible for obtaining this information, I believe that the nonwastewater organic constituents have been treated by incineration in units operated in accordance with 40 CFR Part 264 Subpart O or Part 265 Subpart O, or by combustion in fuel substitution units operating in accordance with applicable technical requirements, and I have been unable to detect the nonwastewater organic constituents despite having used best good faith efforts to analyze for such constituents. I am aware that there are significant penalties for submitting a false certification, including the possibility of fine and imprisonment."

C. RESTRICTED WASTE SUBJECT TO A VARIANCE

This waste is subject to a national capacity variance, a treatability variance, or a case-by-case extension. Enter the effective date of prohibition in column 7 above.

D. RESTRICTED WASTE CAN BE LAND DISPOSED WITHOUT FURTHER TREATMENT

"I have determined that this waste meets all applicable treatment standards set forth in 40 CFR Part 268 Subpart D, and all applicable prohibition levels set forth in Section 268.32 or RCRA Section 3004(d), and therefore, can be land disposed without further treatment. A copy of all applicable treatment standards and specified treatment methods is maintained at the treatment, storage and disposal facility named above. "I certify under penalty of law that I personally have examined and am familiar with the waste through analysis and testing or through knowledge of the waste to support this certification that the waste complies with the treatment standards specified in 40 CFR Part 268 Subpart D and all applicable prohibitions set forth on 40 CFR 268.32 or RCRA section 3004(d). I believe that the information I submitted is true, accurate and complete. I am aware that there are significant penalties for submitting false certification, including the possibility of a fine and imprisonment."

I hereby certify that all information submitted in this and all associated documents is complete and accurate, to the best of my knowledge and information.

Robert G. Tuell, Jr. Senior Plant Engineer

05/31/94

(310)533-7926

INITIAL ISOLATION PROTECTION TABLES FOR SELECTED HAZARDOUS MATERIALS

The table gives suggested distances for ISOLATING unprotected people from spill areas involving the hazardous materials shown, **IF THE LISTED MATERIAL IS NOT ON FIRE**. If the material is on fire, refer to the 2-digit Guide.

These materials were selected because their vapors have the potential to produce poisonous effects. The table is useful for no more than the first 30 minutes of an incident involving these materials. There are several good reasons for suggesting that the use of the table be limited specifically to the initial phase of a no-fire spill incident during transport.

D.O.T. EMERGENCY RESPONSE GUIDE 31

TABLE OF INITIAL ISOLATION AND PROTECTIVE ACTION DISTANCES

USE THIS TABLE WHEN THE MATERIAL IS <u>NOT</u> ON FIRE.		SMALL SPILLS (Leak or spill from a small package or small leak from a large package.)		LARGE SPILLS (Leak or spill from a large package or spill from many small packages.)	
ID No.	NAME OF MATERIAL	First ISOLATE in all directions— (Feet)	Then, PROTECT those persons in the DOWNWIND direction— (Miles)	First ISOLATE in all directions— (Feet)	Then, PROTECT those persons in the DOWNWIND direction— (Miles)

No chemicals appear in Table of Isolation and Protective Action Distances which are assigned to this Guide number.

If the chemical name and ID Number the shipper entered on the front of this form match a name from this list, **and NO FIRE exists**, you must:

determine if the incident involves a small or large spill; look up the isolation distance; (Direct all person to move in a crosswind direction, away from the spill, to that distance.) look up the initial PROTECTIVE ACTION DISTANCE in the table. (For practical purposes, the Protective Action Zone is a square whose length and width are the same as the downwind distance shown in the table.)

WHEN APPROACHING THE SCENE OF AN ACCIDENT INVOLVING ANY CARGO
(NOT ONLY REGULATED HAZARDOUS MATERIALS):

- APPROACH INCIDENT FROM AN UPWIND DIRECTION, IF POSSIBLE
- MOVE AND KEEP PEOPLE AWAY FROM INCIDENT SCENE
- DO NOT WALK INTO OR TOUCH ANY SPILLED MATERIAL
- AVOID INHALING FUMES, SMOKE AND VAPORS EVEN IF NO HAZARDOUS MATERIALS ARE INVOLVED
- DO NOT ASSUME THAT GASES OR VAPORS ARE HARMLESS BECAUSE OF LACK OF SMELL—ODORLESS GASES OR VAPORS MAY BE HARMFUL

As a first responder at the scene of a hazardous materials incident, seek additional and more specific information about any material in question as soon as possible. This Guide Page is not intended for use during the cleanup phase for spilled materials, nor should it be used to determine compliance with any regulations. This information on this Emergency Response Form should be augmented by expert technical advice as soon as you have assessed the situation and have seen to the immediate needs of the people involved.

FOR FURTHER INFORMATION REFER TO DOT P 5800.5 (EMERGENCY RESPONSE GUIDEBOOK) AND TITLE 49 CODE OF FEDERAL REGULATIONS.



D.O.T. EMERGENCY RESPONSE GUIDE 31

(FOLD ON DOTTED LINE—STAPLE TO HAZARDOUS MATERIALS SHIPPING PAPER)

Use basic description and technical name as described in 49 CFR 172.202 and 172.203 (K).

Basic Description: RD, HAZARDOUS WASTE, SOLID,
N.O.S.; 9; NA3077; PGIII

Technical Name(s): LEAD

EMERGENCY
RESPONSE
GUIDE
FORM

24 hr. Emergency Contact Tel. No.: 1-800-424-9300

(CHEMTREC)

D.O.T. EMERGENCY RESPONSE GUIDE 31

POTENTIAL HAZARDS

FIRE OR EXPLOSION

Some of these materials may burn, but none of them ignites readily.

HEALTH HAZARDS

Contact may cause burns to skin and eyes.

Fire may produce irritating or poisonous gases.

Runoff from fire control or dilution water may cause pollution.

EMERGENCY ACTION

Keep unnecessary people away; isolate hazard area and deny entry.

Positive pressure self-contained breathing apparatus (SCBA) and structural firefighters' protective clothing will provide limited protection.

CALL CHEMTREC AT 1-800-424-9300 FOR EMERGENCY ASSISTANCE.

If water pollution occurs, notify the appropriate authorities.

FIRE

Small Fires: Dry chemical, CO2, water spray or regular foam.

Large Fires: Water spray, fog or regular foam.

Move container from fire area if you can do it without risk.

Do not scatter spilled material with high-pressure water streams.

Dike fire-control water for later disposal.

SPILL OR LEAK

Stop leak if you can do it without risk.

Small Dry Spills: With clean shovel place material into clean, dry container and cover loosely; move containers from spill area.

Small Spills: Take up with sand or other noncombustible absorbent material and place into containers for later disposal.

Large Spills: Dike far ahead of liquid spill for later disposal.

Cover powder spill with plastic sheet or tarp to minimize spreading.

FIRST AID

In case of contact with material, immediately flush eyes with running water for at least 15 minutes. Wash skin with soap and water.

Remove and isolate contaminated clothing and shoes at the site.

Information on this Guide Page is from the 1990 Emergency Response Guidebook Dot P 5800.5. It applies only to the basic Description and Technical Name entered by the shipper at the top of this form.

Check to see whether the shipper commodity (Basic description entered at the top of this form) is listed by I.D.# and NAME OF THE MATERIAL in the Table of Initial Isolation and Protective Action Distances. This Table is partially reproduced on the back of this Guide Page to reflect only commodities assigned to this Guide Number. Use this information from the table in addition to the Guide Page IF THERE IS NO FIRE.

READ AND CHECK THE NAMES AND NUMBERS CAREFULLY BECAUSE COMPLETELY DIFFERENT HAZARDOUS MATERIALS CAN HAVE NAMES AND/OR NUMBERS WHICH ARE ALMOST THE SAME!



Laidlaw Environmental Services of California, Inc.

SERVICE ORDER 92-78786
JOB NO. 240120
DATE 5/31/94

TRANSPORTATION SERVICE ORDER

Transportation ID #: CAD000083121

☐ 4501 Pacheco Blvd.
Martinez, CA 94553
(510) 372-4800

☐ 3237 Patton Way
Bakersfield, CA 93308
(805) 835-5801 or
(805) 589-4970

☒ 221 E. "D" Street
Wilmington, CA 90744
(310) 518-4700

Customer Name: DOUGLAS AIRCRAFT Telephone: _____
Billing Address: _____ Contact Person: DAVID SEIGHTS
City: TORRANCE State: CA BOE #: _____
Job Location: 190TH X NOR MAUDIE Destination: _____
Type of Material: DRUMS Sales Person: _____
Generator: _____ EPA Number: _____
Generator ID Number (State): _____ Facility EPA NO.: _____
Disposal: ☒ LES Facility ☐ Outside Facility ☐ None Customer P.O. 27064-H6063
Manifest # 93385761 # 93385771 # _____ # _____
Services Performed _____

16070 PLUS 2 DRUMS AT TORRANCE
THEN GO TO LONG BEACH FOR 7 MORE

Start Miles: 13297 End Miles: 13308 Total Miles: 11
Truck No.: 16070 Trailer No: _____ Net Wgt: _____
Capacity: _____

Driver Time: Start (AM/PM) 0615 Stop (AM/PM) _____ Gross Time _____
Meals: Start Time (AM/PM) _____ Stop (AM/PM) _____ Less Time _____
Other Time _____ Detail _____ Adj. Time _____
Driver's Name JACK JOHNSON Driver No. _____ Total Time _____
Customer Site: Time In 0700 Disposal Site: Time In _____ Time In _____
Time Out 0930 Time Out _____ Time Out _____
Explanation of Time: _____

CUSTOMER AUTHORIZATION AND APPROVAL SIGNATURE: Robert B. Tull, Jr. 05-31-94

FOR ACCOUNTING ONLY

MOD CODE	DESCRIPTION	QTY	UOM	RATE	EXT	PROD CODE	DESCRIPTION	QTY	UOM	RATE	EXT
14000	TRANS		ST			24015	HAZ SOLIDS				
14000	TRANS		OT			24015	N/HAZ SOLIDS				
14000	TRANS		DT			24010	HAZ LIQUIDS				
	2ND DRIVER					24010	N/HAZ LIQUIDS				
	SUBHAULER					24020	DRUMS				
9045	LABOR					24025	SOLID SURCHG				
90465	BIN RENTAL					24025	STABILIZATION				
14000	TRANS (NO DISP)					24025	LIQ SURCHG				
14000	WASHOUT						TAXES				
14000	SCALE/CERTS						TAXES				
14000	SUBSISTENCE					34035	ANALYTICAL				
74055	TOLLS					74055	MISC CHARGES				
90465	TYVEK					74055	MISC CHARGES				
90465	BOOTS										
90465	GOGGLES										
90465	GLOVES										
90465	BIN LINERS										
70455	OTHERS										

LAND DISPOSAL NOTIFICATION AND CERTIFICATION FORM

Generator Name: DOUGLAS AIRCRAFT COMPANY

Manifest Doc. No.: 857611

LEAD DROSS AND SLAG

State Manifest No.: 93385761

1. Is this waste a non-wastewater or a wastewater? (See 40 CFR 268.2) Check ONE: ☒ Non-Wastewater ☐ Wastewater
2. If this waste is subject to any California List restrictions enter the letter from below (either A or B2) next to each restriction that is applicable: HOCs, PCBs, Acid, Metals, Cyanides.
3. Identify ALL USEPA hazardous waste codes that apply to this waste shipment, as defined by 40 CFR 261. For each waste code, identify the corresponding subcategory, or check NONE if the waste code has no subcategory. Also check which treatment standards apply. Spent solvent and California List treatment standards are listed on the back of this form. If F039, multi-source leachate applies, those standards must be attached by the generator.

REF	4. US EPA HAZARDOUS WASTE CODE(S)	5. SUBCATEGORY ENTER THE SUBCATEGORY DESCRIPTION - IF NOT APPLICABLE, SIMPLY CHECK NONE		6. APPLICABLE TREATMENT STANDARDS			7. HOW MUST THE WASTE BE MANAGED ENTER THE LETTER FROM BELOW
		DESCRIPTION	NONE	6.a - PERFORMANCE-BASED: CHECK AS APPLICABLE	6.b - SPECIFIED TECHNOLOGY: IF APPLICABLE ENTER THE 40 CFR 268.42 TABLE 1 TREATMENT CODE(S)		
1	<u>D008</u>		<input checked="" type="checkbox"/>				<u>FOR RECYCLE</u>
2							
3							
4							
5							
6							
7							
8							
9							
10							

To list additional USEPA waste code(s) and subcategory(s), use the supplemental sheet provided (2001-B) and check here: ☐

HOW MUST THE WASTE BE MANAGED? In column 7 above, enter the letter (A, B1, B2, B3, C, or D) below that describes how the waste must be managed to comply with the land disposal regulations (40 CFR 268.7). Please understand that if you enter the letter B1, B2, B3, or D, you are making the appropriate certification as provided below.

A. RESTRICTED WASTE REQUIRES TREATMENT

This waste must be treated to the applicable treatment standards set forth in 40 CFR Part 268 Subpart D, 268.32, or RCRA Section 3004(d).

B.1 RESTRICTED WASTE TREATED TO PERFORMANCE STANDARDS

"I certify under penalty of law that I have personally examined and am familiar with the treatment technology and operation of the treatment process used to support this certification and that, based upon my inquiry of those individuals immediately responsible for obtaining this information, I believe that the treatment process has been operated and maintained properly so as to comply with the performance levels specified in 40 CFR part 268 Subpart D and all applicable prohibitions set forth in 40 CFR 268.32 or RCRA Section 3004(d) without impermissible dilution of the prohibited waste. I am aware that there are significant penalties for submitting a false certification, including the possibility of a fine and imprisonment."

B.2 RESTRICTED WASTES FOR WHICH THE TREATMENT STANDARD IS EXPRESSED AS A SPECIFIED TECHNOLOGY (AND THE WASTE HAS BEEN TREATED BY THAT TECHNOLOGY)

"I certify under penalty of law that the waste has been treated in accordance with the requirements of 40 CFR 268.42. I am aware that there are significant penalties for submitting a false certification, including the possibility of fine and imprisonment."

B.3 GOOD FAITH ANALYTICAL CERTIFICATION - FOR INCINERATED ORGANICS

"I certify under penalty of law that I have personally examined and am familiar with the treatment technology and operation of the treatment process used to support this certification and that, based on my inquiry of those individuals immediately responsible for obtaining this information, I believe that the nonwastewater organic constituents have been treated by incineration in units operated in accordance with 40 CFR Part 264 Subpart O or Part 265 Subpart O, or by combustion in fuel substitution units operating in accordance with applicable technical requirements, and I have been unable to detect the nonwastewater organic constituents despite having used best good faith efforts to analyze for such constituents. I am aware that there are significant penalties for submitting a false certification, including the possibility of fine and imprisonment."

C. RESTRICTED WASTE SUBJECT TO A VARIANCE

This waste is subject to a national capacity variance, a treatability variance, or a case-by-case extension. Enter the effective date of prohibition in column 7 above.

D. RESTRICTED WASTE CAN BE LAND DISPOSED WITHOUT FURTHER TREATMENT

"I have determined that this waste meets all applicable treatment standards set forth in 40 CFR Part 268 Subpart D, and all applicable prohibition levels set forth in Section 268.32 or RCRA Section 3004(d), and therefore, can be land disposed without further treatment. A copy of all applicable treatment standards and specified treatment methods is maintained at the treatment, storage and disposal facility named above. "I certify under penalty of law that I personally have examined and am familiar with the waste through analysis and testing or through knowledge of the waste to support this certification that the waste complies with the treatment standards specified in 40 CFR Part 268 Subpart D and all applicable prohibitions set forth in 40 CFR 268.32 or RCRA Section 3004(d). I believe that the information I submitted is true, accurate and complete. I am aware that there are significant penalties for submitting false certification, including the possibility of a fine and imprisonment."

I hereby certify that all information submitted in this and all associated documents is complete and accurate, to the best of my knowledge and information.

Robert G. Tuel, Jr. Senior Plant Engineer 05/31/94 (310) 533-7926

LAND DISPOSAL NOTIFICATION AND CERTIFICATION FORM

Generator Name: DOUGLAS AIRCRAFT COMPANY

Manifest Doc. No.: 85761

LEAD DROSS AND SLAG

State Manifest No.: 93385761

1. Is this waste a non-wastewater or a wastewater? (See 40 CFR 268.2) Check ONE: ☒ Non-Wastewater ☐ Wastewater
2. If this waste is subject to any California List restrictions enter the letter from below (either A or B2) next to each restriction that is applicable: HOCS, PCBs, Acid, Metals, Cyanides.
3. Identify ALL USEPA hazardous waste codes that apply to this waste shipment, as defined by 40 CFR 261. For each waste code, identify the corresponding subcategory, or check NONE if the waste code has no subcategory. Also check which treatment standards apply. Spent solvent and California List treatment standards are listed on the back of this form. If F039, multi-source leachate applies, those standards must be attached by the generator.

REF	4. US EPA HAZARDOUS WASTE CODE(S)	5. SUBCATEGORY ENTER THE SUBCATEGORY DESCRIPTION IF NOT APPLICABLE, SIMPLY CHECK NONE		6. APPLICABLE TREATMENT STANDARDS			7. HOW MUST THE WASTE BE MANAGED ENTER THE LETTER FROM BELOW
		DESCRIPTION	NONE	6.a - PERFORMANCE-BASED: CHECK AS APPLICABLE		6.b - SPECIFIED TECHNOLOGY: IF APPLICABLE, ENTER THE 40 CFR 268.42 TABLE 1 TREATMENT CODE(S)	
1	<u>D008</u>		<input checked="" type="checkbox"/>				<u>FOR RECYCLE</u>
2							
3							
4							
5							
6							
7							
8							
9							
10							

To list additional USEPA waste code(s) and subcategory(s), use the supplemental sheet provided (2001-B) and check here: ☐

HOW MUST THE WASTE BE MANAGED? In column 7 above, enter the letter (A, B1, B2, B3, C, or D) below that describes how the waste must be managed to comply with the land disposal regulations (40 CFR 268.7). Please understand that if you enter the letter B1, B2, B3, or D, you are making the appropriate certification as provided below.

A. RESTRICTED WASTE REQUIRES TREATMENT

This waste must be treated to the applicable treatment standards set forth in 40 CFR Part 268 Subpart D, 268.32, or RCRA Section 3004(d).

B.1 RESTRICTED WASTE TREATED TO PERFORMANCE STANDARDS

"I certify under penalty of law that I have personally examined and am familiar with the treatment technology and operation of the treatment process used to support this certification and that, based upon my inquiry of those individuals immediately responsible for obtaining this information, I believe that the treatment process has been operated and maintained properly so as to comply with the performance levels specified in 40 CFR part 268 Subpart D and all applicable prohibitions set forth in 40 CFR 268.32 or RCRA Section 3004(d) without impermissible dilution of the prohibited waste. I am aware that there are significant penalties for submitting a false certification, including the possibility of a fine and imprisonment."

B.2 RESTRICTED WASTES FOR WHICH THE TREATMENT STANDARD IS EXPRESSED AS A SPECIFIED TECHNOLOGY (AND THE WASTE HAS BEEN TREATED BY THAT TECHNOLOGY)

"I certify under penalty of law that the waste has been treated in accordance with the requirements of 40 CFR 268.42. I am aware that there are significant penalties for submitting a false certification, including the possibility of fine and imprisonment."

B.3 GOOD FAITH ANALYTICAL CERTIFICATION - FOR INCINERATED ORGANICS

"I certify under penalty of law that I have personally examined and am familiar with the treatment technology and operation of the treatment process used to support this certification and that, based on my inquiry of those individuals immediately responsible for obtaining this information, I believe that the nonwastewater organic constituents have been treated by incineration in units operated in accordance with 40 CFR Part 264 Subpart O or Part 265 Subpart O, or by combustion in fuel substitution units operating in accordance with applicable technical requirements, and I have been unable to detect the nonwastewater organic constituents despite having used best good faith efforts to analyze for such constituents. I am aware that there are significant penalties for submitting a false certification, including the possibility of fine and imprisonment."

C. RESTRICTED WASTE SUBJECT TO A VARIANCE

This waste is subject to a national capacity variance, a treatability variance, or a case-by-case extension. Enter the effective date of prohibition in column 7 above.

D. RESTRICTED WASTE CAN BE LAND DISPOSED WITHOUT FURTHER TREATMENT

"I have determined that this waste meets all applicable treatment standards set forth in 40 CFR Part 268 Subpart D, and all applicable prohibition levels set forth in Section 268.32 or RCRA Section 3004(d), and therefore, can be land disposed without further treatment. A copy of all applicable treatment standards and specified treatment methods is maintained at the treatment, storage and disposal facility named above. "I certify under penalty of law that I personally have examined and am familiar with the waste through analysis and testing or through knowledge of the waste to support this certification that the waste complies with the treatment standards specified in 40 CFR Part 268 Subpart D and all applicable prohibitions set forth on 40 CFR 268.32 or RCRA section 3004(d). I believe that the information I submitted is true, accurate and complete. I am aware that there are significant penalties for submitting false certification, including the possibility of a fine and imprisonment."

I hereby certify that all information submitted in this and all associated documents is complete and accurate, to the best of my knowledge and information.

Robert G. Tuell, Jr.
Robert G. Tuell, Jr.

Senior Plant Engineer

05/31/94

(310)533-7926